


AMEZEUS


 HFS GROUP




Outdoor book

Route de Taillepie 44 - 1095 Lutry
Email: direction@amezeus.com
Tel: +41 21 903 57 67
www.amezeus.com

Apliques Wall Lamps




Nansi, 32




Nuti, 64




Plateti, 80




Sisali, 86



Forai, 120



Garotai, 145



Triai, 174

Lampes de plafonds Ceiling Lamps




Nansi, 30, 42



Nuti, 71




Mediterràni, 78



Forai, 131



Garotai, 143




Elipsi, 116


Lampes suspendues Pendant Lamps




Nansi, 6, 17, 40




Mediterràni, 74




Forai, 128



Garotai, 134




Syrai, 154



Elipsi, 114



Marietti, 180



Maxi, 189

Lampes de tables *Table Lamps*




Nansi, 54




Nansi Portable, 46



Taniti, 94



Forai, 122




Garotai, 136


Hang



Nansi, 10




Elipsi, 114



Garotai, 134, 144


Lampes sur pieds *Floor Lamps*




Amphorai, 100




Atticusi, 111



Forai, 124




Garotai, 137




Maxi, 186

Catenary



Nansi, 12



Garotai, 141

Rechargeable *Battery*



Nansi, 54



Nansi Portable, 46




Atticusi, 111, 113




Taniti, 94

Bollards



Atticusi, 108, 112



Corneti, 162



Moa, 170



Nansi









Nansi S/16/H



Nansi S/16/H



Nansi Catenary S/16/4L

A photograph of a coastal scene. In the foreground, a thatched roof made of reeds and driftwood branches is visible. Two woven lanterns hang from the roof. In the background, a rocky cliff meets the sea under a cloudy sky.

Culture Méditerranée

Au fil des siècles, la mer
a agi comme un élément cohésif du
paysage et la culture de ses peuples.

Les personnes qui vivent
le long de sa côte ouest, partagent un
mode de vie ouvert sur le monde
extérieur qui nous identifie.

L'essence de la culture
méditerranéenne
est sa richesse linguistique,
la gastronomie et la connaissance
des métiers.

Mediterranean Culture

*Over the centuries, the sea
has been the binding element
in the landscape and culture
of its towns.*

*Those of us who live along
its western shores share a way
of life that is characterized by our
openness to the outside world. The
essence of the Mediterranean
culture are its linguistic richness,
its cuisine and its skills
in the trades.*



Nansi Catenary S/16/4L





Nansi S/16/H





Nansi S/21 | S/31 | S/31.2





Nansi S/3L | Indoor IP-20





Nansi S/3L | Indoor IP-20









NansiS/31.2





Nansi S/16 | S/21 | S/31 | S/31.2





Nansi PF/31






Nansi A/02




Nansi A/02



Finishing


Only for Nansi 31 shades




Red



Brown




Beige



Red




Brown




Beige






Nansi A /01 IP-66

  6 W LED / CRI: 90 / 2700°K
503 lm fuente de luz / *light source*



Nansi A /02 IP-66

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*



Nansi S /16 IP-66

  6 W LED / CRI: 90 / 2700°K
503 lm fuente de luz / *light source*

Only for North America

Nansi A /01 WET


   6 W LED / CRI: 90 / 2700°K
466 lm light source

Nansi A /02 WET

   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source


Nansi S /16 WET

  6 W LED / CRI: 90 / 2700°K
466 lm light source




Nansi S /21 IP-66

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*



Nansi S /31 IP-66

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*



Nansi S /31.2 IP-66

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*

Only for North America

Nansi S /21 WET


   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Nansi S /31 WET

   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source


Nansi S /31.2 WET

   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source




Nansi S/3L INDOOR IP-20

  3 x 9,5 W LED / CRI: 90 / 2700°K
3 x 1450 lm light source



Nansi S/16/H IP-66

 6 W LED / CRI: 90 / 2700°K
503 lm light source



Nansi Catenary S/16/4L IP-66

 4 x 6 W LED / CRI: 90 / 2700°K
4 x 503 lm light source

Only for North America

Nansi S/3L DRY


  3 x 9,5 W LED / CRI: 90 / 2700°K
3 x 1450 lm light source

Nansi S/16/H WET

 6 W LED / CRI: 90 / 2700°K
466 lm light source

Nansi Catenary S/16/4L WET

 4 x 6 W LED / CRI: 90 / 2700°K
4 x 466 lm light source



Nansi PF/16 IP-66

  6 W LED / CRI: 90 / 2700°K
503 lm fuente de luz
light source



Nansi PF/21 IP-66

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz
light source



Nansi PF/31 IP-66

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz
light source



Nansi PF/31.2 IP-66

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz
light source

Only for North America

Nansi PF/16 WET

  6 W LED / CRI: 90 / 2700°K
466 lm light source

Nansi PF/21 WET

  9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Nansi PF/31 WET

  9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Nansi PF/31.2 WET

  9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Le dénominateur commun de cette collection est la combinaison de la résistance et de la sensibilité. La résistance, car elle est conçue pour pouvoir vivre confortablement à l'extérieur, et la sensibilité qui s'exprime dans la délicatesse avec laquelle elle filtre la lumière et la chaleur générale de la lampe.

et la chaleur générale de la lampe. Ces caractéristiques font que l'intérieur et l'extérieur d'un espace architectural contribuent à créer un sentiment de continuité.

de la continuité.




This collection's common denominator is the combination of resistance and sensitivity. Resistance because it is designed to be able to stay happily outdoors, and its sensitivity shows in the delicacy with which it filters the light and the overall warmth of the lamp. These features help to create a sense of continuity both on the inside and outside of an architectural space.






Nansi Sphere S/60 | S/80




Red



Brown



Beige



Nansi Sphere S/60 IP-66



 14 W LED / CRI: 90 / 2700°K
 1400 lm fuente de luz / light source

Only for North America

Nansi Sphere S/60 WET



 14 W LED / CRI: 90 / 2700°K
 1400 lm light source



Nansi Sphere S/80 IP-66


 24 W LED / CRI: 90 / 2700°K
 2400 lm fuente de luz / light source

Nansi Sphere S/80 WET




 24 W LED / CRI: 90 / 2700°K
 2400 lm light source

Nansi Sphere S/60



Nansi Sphere PF/60




Nansi Sphere PF/60 IP-66

  14 W LED / CRI: 90 / 2700°K 1400 lm *light source*

Only for North America

Nansi Sphere PF/60 WET

   14 W LED / CRI: 90 / 2700°K 1400 lm *light source*



Nansi Sphere PF/80 IP-66

  24 W LED / CRI: 90 / 2700°K 2400 lm *light source*

Nansi Sphere PF/80 WET

   24 W LED / CRI: 90 / 2700°K 2400 lm *light source*



Nansi



NansiPortable







Nansi Portable M/41/R | M/49/R | Battery





Nansi Portable M/49/R |
Battery

Mare Nostrum
Méditerranée
Notre mer

Parfois, je me demande ce qui rend cette mer si spéciale pour
nous tous qui vivons sur ses rives.
Est-ce la même chose dans toutes les mers ?

Pour ceux d'entre nous qui vivent sur les rives de la
Méditerranée, la mer est notre vision infinie des choses et de la
vie.
C'est notre univers, le point d'où nous partons.
et à laquelle nous voulons toujours retourner.

*Mare Nostrum
Mediterranean
Our sea*

*Sometimes I wonder what makes this sea
so special to all of us who live on its shores.
Does the same hold true for all seas?*

*For those of us who live on the shores of the
Mediterranean, the sea is our infinite vision of things and
life.
It is our universe, the point from where we start
and where we always seek to return.*



Nansi Portable M/41 | M/49




Nansi Portable M/49/R | Battery



Nansi M/21/R | Indoor | Battery



Nansi M/21/R | Indoor | Battery



Nansi M/21/R IP-20


3 W LED / CRI: 90 / 2700°K
460 lm *light source*

Only for North America

Nans M/21/R DRY

3 W LED / CRI: 90 / 2700°K
460 lm *light source*

Nansi M/21/R | Indoor | Battery



Nansi Portable M/41 IP-65

6,3 W LED / CRI: 90 / 2700°K 950 lm light source

Only for North America

Nansi Portable M/41 WET

6,3 W LED / CRI: 90 / 2700°K 950 lm light source




Nansi Portable M/41/R IP-65

3 W LED / CRI: 90 / 2700°K 460 lm light source

Nansi Portable M/41/R WET

3 W LED / CRI: 90 / 2700°K 460 lm light source

Nansi Portable M/41/R | Battery



Nansi Portable M/49 IP-65

6,3 W LED / CRI: 90 / 2700°K 950 lm *light source*

Only for North America

Nansi Portable M/49 WET

6,3 W LED / CRI: 90 / 2700°K 950 lm *light source*

Nansi Portable M/49/R IP-65

3 W LED / CRI: 90 / 2700°K 460 lm *light source*

Nansi Portable M/49/R WET

3 W LED / CRI: 90 / 2700°K 460 lm *light source*









Nansi Portable M/49/R | Battery




Hotel Gran Meliá de Mar – Illetes / Mallorca



Nansi Portable M/49/R | Battery

Nuti







Le Nuti se caractérise par son corps ergonomique et énergétique. Il s'agit d'un produit très polyvalent, facile et intuitif à utiliser et orientable à 180°, qui peut être installé dans des environnements intérieurs et extérieurs.

The Nuti collection is characterized by their ergonomic and solid build. They are a highly versatile product. Their handling is easy and intuitive, and they can be positioned 180°. They can be used both for Indoor as well as Outdoor environments.





Nuti A/01 IP-66



6,3 W LED / CRI: 90 / 2700°K 950 lm light source

Only for North America

Nuti A/01 WET



6,3 W LED / CRI: 90 / 2700°K 950 lm light source

Image does not show north American backplate



Black



Terracotta



White



Light grey









Nuti PF/10 IP-66



6,3 W LED / CRI: 90 / 2700°K 950
lm light source

Only for North America

Nuti PF/10 WET



6,3 W LED / CRI: 90 / 2700°K
950 lm light source

Image does not show north American backplate

Nuti PF/10



Mediterràni








La nature, la tradition, le design et la
technologie constituent la base de nos
produits.

*Nature, tradition, design and technology
are the foundation of our products*







Mediterràni PF/105 IP-66



17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

Only for North America

Mediterràni PF/105 WET



17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*



Mediterràni S/105 IP-66



17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

Mediterràni S/105 WET




17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*



Mediterràni PF/105

Plateti





Plateti A/02 / Indoor



Plateti A/01 / Outdoor



Des formes simples, qui nous sont familières et nous faire voyager dans le temps. Associé à la source lumineuse LED, le Plateti a quelque chose de romantique. La palette de couleurs intègre des tons sobres et chauds, avec toujours la partie intérieure de l'abat-jour en blanc qui nous donne une bonne qualité de lumière.

Simple shapes that have a familiar feeling and make us travel through time. There is something romantic about the LED adapted Plateti. Its colour palette includes sober and warm tones and the inner side of the lampshade is always white for good light quality.



Brown



Green



Black



Plateti A/01 Outdoor / Custom length



Plateti A/01 IP66

4,2 W LED / CRI: 90 / 2700°K 504
lm light source



Only for North America

Platet A/01 WET

4,2 W LED / CRI: 90 / 2700°K
504 lm light source

Sisali









Sisali A/01



Sisali A/01



Sisali A/01 IP66



9,1 W LED / CRI: 90 / 2700°K 990
lm light source

Only for North America

Sisali A/01 WET



9,1 W LED / CRI: 90 / 2700°K
990 lm light source


Finishing



Brown Metal Frontal



Brown Fiber Frontal



Light Beige Fiber Frontal










Taniti





Taniti M/29/R | Indoor | Battery



Taniti M/29/R IP20

1,5 W LED / CRI: 80 / 2700°K 54
lm *light source*

Only for North America

Taniti M/29/R DRY

1,5 W LED / CRI: 80 / 2700°K
54 lm *light source*



Taniti M/29/R | Indoor | Battery

Taniti est une lampe de table portable et rechargeable, avec une lumière douce, filtrée par un abat-jour tissé de manière artisanale avec du fil de coton.

Taniti is a portable and rechargeable table lamp that gives out a soft light filtered through a handwoven cotton thread lampshade.



TanitiM/29/R | Indoor | Battery



Taniti M/29/R | Indoor | Battery



Amphorai





Amphorai



Ses grands volumes et ses formes rendent un hommage subtil et discret aux amphores en terre cuite qui servaient autrefois à stocker les denrées alimentaires.


The size and shape of this collection pay a subtle and discreet homage to the terracotta amphoras used once upon a time to store food.








LED options consult technical drawing in the cutsheet



Amphorai IP-66

8 W LED / CRI: 90 / 2700°K
642 lm *light source*



Amphorai 01 IP-66

- 2 x 22 W CFL E-27
- 2 x 9 W LED E-27 A60
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*
- TRIAC | 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

Only for North America

Amphorai WET



8 W LED / CRI: 90 / 2700°K
622 lm *light source*

Amphorai 01 WET

- 2 x 10 W E26 LED A19
- 0-10V | TRIAC | 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

LED options consult technical drawing in the cutsheet

LED options consult technical drawing in the cutsheet



Amphorai 02 IP-66

- 2 x 30 W CFL E-27
- 2 x 9 W LED E-27 A60
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / light source
- TRIAC | 24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Amphorai 03 IP-66

- 2 x 30 W CFL E-27
- 2 x 9 W LED E-27 A60
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / light source
- TRIAC | 24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Only for North America

Amphorai 02 WET

- 2 x 10 W E26 LED A19
- 0-10V | TRIAC | 24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Amphorai 03 WET

- 2 x 10 W E26 LED A19
- 0-10V | TRIAC | 24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Finishing



Graphite Brown




Light Beige




Rattan Brown

Atticus







Atticus B/56 - B/66 IP-66



8,4 W LED / CRI: 90 / 2700°K 1122 lm light source

Atticus P/114 IP-66



8,4 W LED / CRI: 90 / 2700°K 1122 lm light source

Atticus P/114/R IP-66



3,2 W LED / CRI: 90 / 2700°K 400 lm light source

Only for North America

Atticus B/56 - B/66 WET



8,4 W LED / CRI: 90 / 2700°K 1122 lm light source

Atticus P/114 WET



8,4 W LED / CRI: 90 / 2700°K 1122 lm light source

Atticus P/114/R WET



3,2 W LED / CRI: 90 / 2700°K 400 lm light source

Finishing



Natural White



Graphite Brown



Light Beige



Rattan Brown



Atticusi P/114/R | Battery





Atticus P/114 | P/114/R | Battery

Elipsi






Elipsi S/30/H | S/50/H




Elipsi extérieur est un produit simple, sans contrainte et polyvalent. Il peut être suspendu à une branche au-dessus d'une table pour un dîner, pour éclairer un coin de jardin près d'un hamac ou pour créer une atmosphère magique avec un ensemble d'élipses suspendues dans la nuit. La beauté de la simplicité.

Elipsi outdoor is a simple, unrestrained and versatile product. It can be hung from a branch over a table for a dinner, to light a garden corner by a hammock or to create a magical atmosphere with a set of ellipses hanging in the night. The beauty of simplicity.


LED options consult technical drawing in the cutsheet



LED options consult technical drawing in the cutsheet



LED options consult technical drawing in the cutsheet



Elipsi S/30 IP-66

- 2 x 14 W CFL E-27
- 2 x 6 W LED E-27 P45
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Elipsi S/50 IP-66

- 2 x 14 W CFL E-27
- 2 x 6 W LED E-27 P45
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Elipsi S/30/H IP-66

- 2 x 14 W CFL E-27
- 2 x 6 W LED E-27 P45
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Only for North America

Elipsi S/30 WET

- 2 x 10 W E26 LED A19
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm light source


Elipsi S/50 WET

- 2 x 10 W E26 LED A19
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Elipsi S/30/H WET

- 2 x 10 W E26 LED A19

LED options consult technical drawing in the cutsheet



Elipsi S/50/H IP-66


- 2 x 14 W CFL E-27
- 2 x 6 W LED E-27 P45
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm *light source*

Only for North America

Elipsi S/50/H WET

- 2 x 10 W E26 LED A19

LED options consult technical drawing in the cutsheet




Elipsi PF/30 IP-66

- 2 x 14 W CFL E-27
- 2 x 6 W LED E-27 P45
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

Elipsi PF/30 WET

- 2 x 10 W E26 LED A19
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

LED options consult technical drawing in the cutsheet



Elipsi PF/50 IP-66

- 2 x 14 W CFL E-27
- 2 x 6 W LED E-27 P45
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm *light source*

Elipsi PF/50 WET

- 2 x 10 W E26 LED A19
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm *light source*

Finishing




Natural White



White

Forai







Forai M






















LED options consult technical drawing in the cutsheet

LED options consult technical drawing in the cutsheet



Forai A	IP-66
	2 x 22 W CFL E-27
	2 x 9 W LED E-27 A60
 	17,1 W LED / CRI: 90 / 2700°K 2064 lm <i>light source</i>

Foraii PF	IP-66
	2 x 22 W CFL E-27
	2 x 9 W LED E-27 A60
 	17,1 W LED / CRI: 90 / 2700°K 2064 lm <i>light source</i>

Forai S	IP-66
	2 x 22 W CFL E-27
	2 x 9 W LED E-27 A60
 	17,1 W LED / CRI: 90 / 2700°K 2064 lm <i>light source</i>




Only for North America

Forai A	WET
	2 x 10 W E26 LED A19
  	17,1 W LED / CRI: 90 / 2700°K 2064 lm <i>light source</i>

Forai PF	WET
	2 x 10 W E26 LED A19
  	17,1 W LED / CRI: 90 / 2700°K 2064 lm <i>light source</i>

Forai S	WET
	2 x 10 W E26 LED A19
  	17,1 W LED / CRI: 90 / 2700°K 2064 lm <i>light source</i>

LED options consult technical drawing in the cutsheet



Forai 90	IP-66
	2 x 30 W CFL E-27
	2 x 9 W LED E-27 A60
	 24,7 W LED / CRI: 90 / 2700°K 3000 lm light source

Forai M	IP-66
	2 x 22 W CFL E-27
	2 x 9 W LED E-27 A60
	17,1 W LED / CRI: 90 / 2700°K 2064 lm light source

Forai P	IP-66
	2 x 22 W CFL E-27
	2 x 9 W LED E-27 A60
	17,1 W LED / CRI: 90 / 2700°K 2064 lm light source

Only for North America

Forai 90	WET
	2 x 10 W E26 LED A19
	 24,7 W LED / CRI: 90 / 2700°K 3000 lm light source

Forai M	WET
	2 x 10 W E26 LED A19

Forai P	WET
	2 x 10 W E26 LED A19

Finishing



Natural White



Graphite Brown



Light Beige



Rattan Brown

Garotai







Garotai M/36









Garotai, inspiré par la coquille d'un oursin,
offre une lumière chaude et filtrée,
enveloppée de formes organiques,
arrondies et subtiles, conçues pour nous
accompagner aussi bien dans les espaces
intérieurs qu'extérieurs.

*Garotai, inspired by the shell of a sea
urchin, offers a warm and diffused light,
wrapped in organic, rounded and subtle
shapes, designed to be with us either
indoors or outdoors.*



GarotaiCatenaryS/27/4L



Design intemporel, identité méditerranéenne. Un regard différent sur les objets du quotidien qui nous entourent.

*Timeless design,
Mediterranean identity.
A different look
at the everyday objects that
surround us.*







GarotaiA/01



Glamp 2016, Zion Natural Park / United States
Photographed by Charlie Simmons





Hotel Gran Meliá de Mar – Illetes / Mallorca








Garota A/01 IP-66

  8,4 W LED / CRI: 90 / 2700°K 1122 lm *light source*



Garota PF/01 IP-66

  8,4 W LED / CRI: 90 / 2700°K 1122 lm *light source*



Garota PF/02 IP-66

 2 x 22 W CFL E-27
 2 x 9 W LED E-27 A60
  17,1 W LED / CRI: 90 / 2700°K 2064 lm *light source*

Only for North America

Garota A/01 WET


  8,4 W LED / CRI: 90 / 2700°K 1122 lm *light source*

Garota PF/01 WET

  8,4 W LED / CRI: 90 / 2700°K 1122 lm *light source*

Garota PF/02 WET

 2 x 10 W E26 LED A19
   17,1 W LED / CRI: 90 / 2700°K 2064 lm *light source*



Garotai Catenary S/27/4L IP-66


 4 x 6 W LED / CRI: 90 / 2700°K 4 x 503 lm *light source*

Only for North America

Garota Catenary S/27/4L

  4 x 6 W LED / CRI: 90 / 2700°K 4 x 466 lm *light source*

LED options consult technical drawing in the cutsheet




Garotai Hang IP-66

8,4 W LED / CRI: 90 / 2700°K 1122 lm light source



Garotai S/01 IP-66

8,4 W LED / CRI: 90 / 2700°K 1122 lm light source



Garotai S/02 IP-66

2 x 22 W CFL E-27
2 x 9 W LED E-27 A60
17,1 W LED / CRI: 90 / 2700°K 2064 lm light source

Only for North America

Garotai Hang WET

8,4 W LED / CRI: 90 / 2700°K 1122 lm light source

Garotai S/01 WET




8,4 W LED / CRI: 90 / 2700°K 1122 lm light source

Garotai S/02 WET

2 x 10 W E26 LED A19
17,1 W LED / CRI: 90 / 2700°K 2064 lm light source

LED options consult technical drawing in the cutsheet

LED options consult technical drawing in the cutsheet



Garotai M/36 IP-66

8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / *light source*

Garotai P/01 IP-66

- 2 x 22 W CFL E-27
- 2 x 9 W LED E-27 A60
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*
- TRIAC | 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

Garotai P/02 IP-66

- 2 x 22 W CFL E-27
- 2 x 9 W LED E-27 A60
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*
- TRIAC | 17,1 W LED / CRI: 90 / 2700°K
2064 lm *light source*

Only for North America

Garotai Hang WET

8,4 W LED / CRI: 90 / 2700°K
1122 lm light source

Garotai S/01 WET

- 2 x 10 W E26 LED A19

Garotai S/02 WET

- 2 x 10 W E26 LED A19


Finishing



Natural White



Graphite Brown



Ivory White



Brown


Syrai





Syrai sont des produits idéaux pour les espaces qui ont besoin d'une lumière chaude et d'éléments conviviaux offrant une bonne dose de confort.

Syrai are ideal products for places that need warm light and friendly elements that offer plenty of comfort.



Syrai 45 IP-66

  17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Syrai 60 IP-66

  37,7 W LED / CRI: 90 / 2700°K
4700 lm light source

Syrai 90 IP-66

  39,7 W LED / CRI: 90 / 2700°K
5500 lm light source

Only for North America

NOT AVAILABLE FOR NORTH AMERICA


Syrai 60 WET

  37,7 W LED / CRI: 90 / 2700°K
4700 lm light source

Syrai 90 WET

  39,7 W LED / CRI: 90 / 2700°K
5500 lm light source

Finishing








Syrai 45







Corneti





CornetiB/52








Corneti B/27 IP-66

  8 W LED / CRI: 90 / 2700°K 860
lm light source

Only for North America



Corneti B/52 IP-66

  8 W LED / CRI: 90 / 2700°K 860
lm light source



Corneti B/77 IP-66

  8 W LED / CRI: 90 / 2700°K 860
lm light source

Atticusi B/56 - B/66 WET

  8 W LED / CRI: 90 / 2700°K
860 lm light source

Atticusi B/56 - B/66 WET

  8 W LED / CRI: 90 / 2700°K
860 lm light source


Atticusi B/56 - B/66 WET

  8 W LED / CRI: 90 / 2700°K
860 lm light source



Corneti B/52 Outdoor

Finishing



Stone Grey




"Corneti est un projet d'une grande technicité. Sa forme harmonieuse et organique lui permet de se fondre dans la nature où il n'y a pas de lignes droites."

"Corneti is a highly technical project. Its harmonious and organic shape allows it to blend in with nature where there are no straight lines."






Moa









Moa B/35 IP66

  6,5 W LED / CRI: 90 / 2700°K 850 lm light source

Only for North America

Moa B/35 WET

  6,5 W LED / CRI: 90 / 2700°K 850 lm light source

Moa B/60 IP66

  6,5 W LED / CRI: 90 / 2700°K 850 lm light source


Moa B/60 WET

  6,5 W LED / CRI: 90 / 2700°K 850 lm light source

Moa est une lampe d'extérieur dans laquelle le béton, la forme et la lumière travaillent ensemble pour donner une importance absolue à cette union surprenante et nouvelle et inédite union.

Moai is an outdoor lamp where concrete, shape and light work together to highlight this surprising and innovative combination.

Finishing



Grey Concrete



Moa B/35 | B/60

Triai










Triai est l'un des produits les plus populaires de notre catalogue, c'est pourquoi nous avons décidé de les sortir pour éclairer nos terrasses et nos jardins. Leurs formes organiques qui nous rappellent les galets de rivière polis en font des objets uniques. Contrairement aux Triai Indoor et en raison de leur indice de protection IP-66, les Triai Outdoor ne peuvent pas faire partie d'un système modulaire car ce sont des unités d'éclairage uniques.

Triai is one of the most popular products of our catalogue, which is why we decided to take them outside to light our terraces and gardens.

Their organic shapes that remind us of polished river pebbles make them unique objects. Unlike the Triai Indoor and because of their IP-66 protection feature, the Triai Outdoor cannot be part of a modular system because they are single lighting units.





Triai 04 IP66

  11,5 W LED / CRI: 90 / 2700°K
1346 lm *light source*

Only for North America

Triai 04 WET

  11,5 W LED / CRI: 90 / 2700°K
1346 lm *light source*

Trai 05 IP66

  11,5 W LED / CRI: 90 / 2700°K
1346 lm *light source*

Triai 05 WET

  11,5 W LED / CRI: 90 / 2700°K
1346 lm *light source*

Finishing



Graphite Brown Metal Frontal



Teak Wood Frontal





Triai04 Outdoor

Mariettai









Mariettai va partout - elle est robuste, facile à nettoyer et très adaptable. C'est un produit intemporel qui peut côtoyer des produits contemporains et qui s'intègre naturellement aux différents styles de vie des gens.

Mariettai goes anywhere – it is sturdy, easy to clean and very adaptable. A timeless product that can sit happily next to contemporary products, blending naturally with people's different lifestyles.



Mariettai S/32 IP-66

  8 W LED / CRI: 90 / 2700°K
642 lm *light source*

Only for North America

Mariettai S/32 WET

  8 W LED / CRI: 90 / 2700°K
622 lm *light source*

Image does not show north American backplate

Finishing



White



Maxi







Maxi P/180

LED options consult technical drawing in the cutsheet

LED options consult technical drawing in the cutsheet



Maxi P/180 IP-66

2 x 28W T5 HE

49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

TRIAC 49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

Only for North America

Maxi P/180 WET

2 x 54W Minibipin T5 L. Fluo

49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

0-10V 49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

Maxi S/01 IP-66

2 x 28W T5 HE

49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

TRIAC 49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

Maxi S/01 WET

2 x 54W Minibipin T5 L. Fluo

49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

0-10V 49,2 W LED / CRI: 90 / 2700°K
7500 lm *light source*

Finishing



White



Maxi S/01



Route de Taillepie 44 - 1095 Lutry

Email: direction@amezeus.com

Tel: +41 21 903 57 67

www.amezeus.com